WALTER K.



KEYPIECE MANAGEMENT DESK. DESKS

DESIGN: EOOS.

Table top and edge versions	 MDF core with a straight edge. Finishes: melamine soft white with ABS ending from price group I. Thickness: 16 mm. fine-textured paint, .03 paint white, HPL laminate, fenix® and veneers from price groups IV, V and VI. 		Aluminium legs are available either in a polished or powder-coated black matt finish.
Table legs and base	Thickness: 14 mm. material: – joints: die-cast aluminium – frame: extruded aluminium profile The joints, frame and plastic covers are always grey / black.		78 cm
	Optional horizontal cable ducts (for an upcharge). legs: Aluminium leg with mechanism to adjust the height		Solid wood legs are available in oak white-pigmen- ted, oiled (.10wo), oak fumed, oiled (.13wo), oak burned, oiled (.14wo) or nutwood with sapwood, oiled (.99wo).
	from 68 to 78 cm, at intervals of 1 cm, integrated cable duct and plastic cover. The height is adjusted manually using a spanner. The screw joint on the side of the container is concealed within the frame.	Accessories	A leather pad and cable access are also available. These are detailed in later pages.
	Or alternatively solid wood leg (without mechanism to adjust the height).	module	☐ left ☐ right
		base frame	 polished powder-coated black matt
		cable management	☑ cable duct horizontal

extension desk - table top width 160 cm

	W 160 D 80/78 H 68 – 78 W 63	4450	table top thickness 14 / 16 mm straight edge aluminium legs
boat-shape	D 311/2/303/4		
2 legs	H 26¾ – 30¾		
	W 160 D 80/78 H 74	4749	table top thickness 14 / 16 mm straight edge
u u			solid wood legs
boat-shape	W 63 D 31½/30¾		
2 legs	H 29¼		

extension desk - table top width 180 cm



boat-shape 2 legs W 70¾ D 35½/34¼ H 29¼

extension desk - table top width 200 cm

boat-shape 2 legs	W 200 D 100/97 H 68 - 78 W 78¾ D 39¼/38¼ H 26¾ - 30¾	4452	table top thickness 14 / 16 mm straight edge aluminium legs	
boat-shape 2 legs	W 200 D 100/97 H 74 W 78¾ D 39¼/38¼ H 29¼	4751	table top thickness 14 / 16 mm straight edge solid wood legs	

KEYPIECE MANAGEMENT DESK

free-standing desk - table top width 160 cm

	W 160 D 80/78 H 68 – 78 W 63	4453	table top thickness 14 / 16 mm straight edge aluminium legs
boat-shape	D 311/2/303/4		
2 legs	H 26¾ – 30¾		
	W 160 D 80/78 H 74	4752	table top thickness 14 / 16 mm straight edge solid wood legs
ł	W 63		
	D 311/2/303/4		
boat-shape 2 legs	H 29¼		

free-standing desk - table top width 180 cm

	W 180 D 90/87 H 68 – 78 W 70¾	4454	table top thickness 14 / 16 mm straight edge aluminium legs
boat-shape 2 legs	W 70¾ D 35½/34¼ H 26¾ – 30¾		

W 180	4753	table top thickness 14 / 16 mm
D 90/87		straight edge
H 74		
		solid wood legs
W 70¾		
D 351⁄2/341⁄4		
H 29¼		
	D 90/87 H 74 W 70¾ D 35½/34¼	D 90/87 H 74 W 70 ³ /4 D 35 ¹ / ₂ /34 ¹ /4

4455

4754

free-standing desk - table top width 200 cm

boat-shape 2 legs ₩ 78¾ D 39¼/38¼ H 26¾ - 30¾

W 200

H 74

D 100/97

W 200

D 100/97

H 68 – 78

boat-shape 2 legs W 78¾ D 39¼/38¼ H 29¼ table top thickness 14 / 16 mm straight edge

table top thickness 14 / 16 mm

straight edge

aluminium legs

solid wood legs



KEYPIECE MANAGEMENT DESK. PEDESTALS

DESIGN: EOOS.

Finishes Versions Drawers	Melamine anthracite 87m, .03 paint white, fine-tex- tured paint or veneers from price groups II, IV, V, VI. Corpus inside: silver grey melamine. Two different versions of the pedestals are available: Pedestal with casters or support pedestals with plinth. Doors and drawers do not have handles and open with the touch function. Interior of drawers: metal silver-grey.	Accessories	Drawer compartments: Silver-grey plastic separating panel running parallel to the drawer front - can be positioned at preset depths within the drawer. Utensil tray: Silver-grey plastic, can be inserted at different depths within the drawer. The insert is positioned in a notch in the upper part of the drawer, leaving the space below free for other uses.
Plug management	Cable duct: The support pedestal includes concealed cable ducts, running from the floor to the table top. A magnetic cover conceals the cable as it runs between the pedestal and the table. Floor box: The floor of the support pedestal has an 19 x 19 cm access hatch to the floor box.	Ordering notes	Please note that, if the utensil tray is used together with the drawer compartments, the utensil tray can only be placed in front of the first separating panel. The accessories are detailed in later pages. If you are ordering more than one desk, please specify clearly which pedestal belongs to which desk.
finish	 powder-coated black matt polished chrome silver-grey 	base frame function	 □ polished □ powder-coated black matt ✓ lock
module	☐ left ☐ right	cable management	☑ cable duct horizontal

pedestal with casters - free-standing



casters

2 drawers, 1 with suspension filling frame, 4 brake-loaded casters

4460 W 44 D 62 H 59 **4461** W 44 D 62 H 59

W 171/4 D 241/2 H 231/4

W 17¼ D 24½ H 23¼

3 drawers, 4 brake-loaded

support pedestal - for extension





3 drawers

2 drawers, 1 with suspension filing frame

4465 W 44 D 70 H 58.5 **4466** W 44 D 70 H 58.5

W 17¼ D 27½ H 23

W 171/4 D 271/2 H 23

accessories



drawer dividers

4468 W 30 H 6.5

W 11¾ H 2½



utensil tray for drawers

4469 W 33 D 20 H 2.5

W 13 D 7¾ H 1



leather pad without chamfer

4590 W 85 D 55

W 331/2 D 213/4



cable access

4592 Ø 8

Ø 3¼