PRODUCT SHEET

In conformity with Italian Laws 126/91 and DL 101/97



DESCRIPTION

STUMP

POUF

DIMENSIONS: W. 50 - H. 45 - D. 0 cm		WEIGHT Kg 6
MATERIALS		
INNER STRUCTURE	Metal frame made of Ø 10mm wire, flat, square and round tube with different dimensions. Plywood or rubber strip on the underside of the shell for stapling the fabric.	
PADDING	Non-deformable cold-cure moulded polyurethane foam. Average density: 60 k Fire ratings: • Italian class 1IM: UNI9175/2010; • French class M4 (NFP 92-507:2004) • California Technical Bulletin 117:2013, Section 3 • European EN 1021:2014 • English class: BS 5852-2-1982 (CRIB 5) - upon request	g/cbm.
BASE	The pouf is supplied with 4 feet.	
REQUIRED FABRIC	1,10 meters of fabric (h 1,40) 16,50 ft² of leather	
VOLUME	Shell: 0,10 cbm Base: 0,1 cbm	
PACKING	Shell: Into cardboard boxes Base: Into cardboard boxes	
CERTIFICATIONS	 WOODEN COMPONENTS: FSC MIX - CARB ATCM 93120 Phase II - U.S. I STRENGTH, RESISTANCE, LIFETIME and SAFETY of product: EN 16139:: MECHANICAL RESISTANCE of polyurethane:DIN EN ISO 1798+UNI EN IS UNI EN ISO 3386-1. CHEMICAL, DANGEROUS, PROBLEMATIC AND FORBIDDEN SUBSTANC REACH- EU / 528/2012 free of biocides, SVHC free EU 65/2011 – EU 863/2 ODS free EC 850/2004 organic pollutants free. 	2013+AC2013, level no 2. O 8067 B + CES FREE: EU 1907/2006,

INSTRUCTIONS OF USE AND MAINTENANCE

- This product is for indoor use.
- The armchair assembly must be carried out according to our "assembly instructions".
- Avoid use of solvents and abrasives.
- Use steam to recover dents on foam; you can ask for the related illustrated instructions.
- The possible occurrence of smell given off from the product as it is taken out of the packing does not represent any source of danger and will fade away by exposing the product in a ventilated environment.
- Disposal: at the end of the life cycle of the product, it must be duly conveyed to the public network for disposal of urban waste. Please refer to your local norms and regulations. The polyurethane foam is an inert and non-polluting material. It can be disposed of like a standard non-recyclable waste.