

FELTRIX

FELTRIX est un élément de design décoratif et coloré avec des performances d'absorption acoustique, adapté à tous les environnements bruyants où un contrôle de la réverbération est nécessaire ; idéal comme écran frontal de bureau, il peut être suspendu au plafond ou positionné sur les murs, grâce à des accessoires spécifiques conçus pour une meilleure performance acoustique et esthétique. Fabriqué en fibre de polyester aiguilletée recyclée, disponible en deux épaisseurs de 9 mm et 20 mm et en panneaux de dimensions 140x40 cm et 120x40 cm ou sur demande du client.

Données techniques:

Masse de la superficie [g/m²] : 2400 $\pm$ 10%

Largeur [cm]: de 20 à 180 [$\pm$ 0,1].

Longueur [cm]: de 100 à 300 [$\pm$ 1].

Épaisseur [mm]: 9/20 [$\pm$ 0,75].

***FELTRIX** is a decorative and colourful design element with sound-absorbing acoustic performance, suitable for all noisy environments where reverberation reduction control is required, ideal as a desk front screen, it fits well suspended from the ceiling or positioned on walls thanks to the specific accessories designed for the best acoustic and aesthetic performance.*

Made of recycled polyester fibre needlepunched, available in two thicknesses of 9 and 20 mm and in 120x40 cm panels or on customer request.

Technical data:

Surface mass [g/m²]: 2400 $\pm$ 10%.


Width [cm]: from 20 to 180 [$\pm$ 0.1]

Length [cm]: 100 to 300 [$\pm$ 1].

Thickness [mm]: 9/20 [$\pm$ 0.75].

ABSORPTION ACOUSTIQUE

SOUND ABSORPTION




$\alpha_W=0,55$


SCHÉMAS DIMENSIONNELS

DIMENSIONAL DIAGRAMS

20 MM




9 MM



SÉQUENCE DE MONTAGE

MOUNTING SEQUENCE

MONTAGE CROCHET POUR BUREAU INDIVIDUEL MOUNTING OF SINGLE DESK BRACKET



MONTAGE DU CROCHET POUR BENCH MOUNTING OF BENCH BRACKET

