


LED Neon Striplight – model SC-2835-08-TT1512S-WW-24-160-8-XXM

Mat black colored LED Neon Striplight

Important: read this information before installation.

- Patent design
- Patent manufacturing process
- Top-emitting Neon Striplight
- Soft light with no visible dot from the light
- More Uniform luminescence.
- Perfect match to WoodUpp panel
- The mat black housing turns invisible when glowing
- Soft-touch silicone sprayed with hand feeling oil
- Available in 2400mm
- Instantly invisible when not energized, does not ruin the beauty of the panel during daytime



Applications


- Suitable for all WoodUpp panels
- Accessories are needed for installation in foil panels

Technical Parameters

Model	Wave length & CCT Range (for LED only)	Luminous flux (lm/pcs)	Efficiency (lm/w)	CRI	LED type	LED qty. (LED`s per meter)	Rated watt (W/m)	DC voltage (v)	Max. length (mm/pcs)	Min. length (mm)	PCB width (mm)	IP	Beam angle (degree)
SC-2835-08-TT1512S-WW-24-160-8-2.4M	2800-3200K	154-230	8-12	90	2835	160	8	24	2.400	49,69	8	40	113

LED Neon Striplight – model SC-2835-08-TT1512S-WW-24-160-8-XXM


Dimensions



Bending direction



LED Neon Striplight – model SC-2835-08-TT1512S-WW-24-160-8-XXM



Caveat:

- It is important to handle the striplight carefully even if the striplight is soft and possible to bend the wrong way of bending the striplight will influence the lighting.
- Do not pull the striplight at the cable as this might influence the lighting
- When installing the striplight push the striplight gently into the panel – do not use any tool to install the striplight.
- If you want to clean your LED strip, only use damp, lint-free cloth.